

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		power adj control\$ same (open adj loop and close\$ adj loop)	US-PGPUB; USPAT	OR	ON	2005/08/04 09:53
		register\$1 and stor\$3	USPAT	OR	OFF	2004/08/13 16:01
		(serial adj chain) same "60"	USPAT	OR	OFF	2004/08/13 15:42
		(serial near4 chain) same "60"	USPAT	OR	OFF	2004/08/13 15:42
		"60" same (serial near4 chain)	USPAT	OR	OFF	2004/08/13 15:41
		CRC same NACK same error\$1 and power adj leve	USPAT	OR	OFF	2004/08/13 14:56
		(pwer adj level) and increas\$4 and CRC and NACK	USPAT	OR	OFF	2004/08/13 14:47
		wireless same transmission same range same "30"	USPAT	OR	OFF	2004/08/13 13:42
		wireless and increas\$4 near3 (power adj level) and interference and (error adj rate) same target))	USPAT	OR	OFF	2004/08/13 12:57
		(soft adj handoff) same (power adj level\$1) and (power adj control) same (error near "4" rate)	USPAT	OR	OFF	2004/08/13 12:36
		(power adj control) with (LMP or (link adj manag\$5)	USPAT	OR	OFF	2004/08/13 10:07
		(closed adj loop) and (power adj control) and wireless and and (LMP or (link adj manager adj protocol))	USPAT	OR	OFF	2004/08/13 09:40
		(power adj level) same (increase or decrease) same error (near4 (packet or rate) same (wireless adj network)	USPAT	OR	OFF	2004/08/12 16:27
		"370"/.ccls. and (power adj control) same (error adj rate)	USPAT	OR	OFF	2004/08/13 16:37
S1	1	"5383219".pn.	USPAT	OR	OFF	2004/08/12 15:10
S2	126	"5383219".URPN.	USPAT	OR	OFF	2004/08/12 15:10
S3	74	"5383219".URPN. and (error near3 rate) and (power adj control)	USPAT	OR	OFF	2004/08/12 15:14
S4	32	"5383219".URPN. and (error near3 rate) same (power adj control)	USPAT	OR	OFF	2004/08/12 15:14
S5	0	"370"/.ccls and (power adj control) with (error adj rate)	USPAT	OR	OFF	2004/08/12 15:23
S6	0	"370"/.ccls and (power adj control) same (error adj rate)	USPAT	OR	OFF	2004/08/12 15:23
S7	38	370/241,252,310,311,522.ccls. and (power adj control) same (error adj rate)	USPAT	OR	OFF	2004/08/12 15:24

S8	2	(power adj control) with (packet adj error adj rate)	USPAT	OR	OFF	2004/08/12 15:50
S9	1	370/241,252,310,311,522.ccls. and (power adj control) same (packet adj error\$1)	USPAT	OR	OFF	2004/08/12 15:52
S10	13	(power adj control) same (packet adj error\$1)	USPAT	OR	OFF	2004/08/12 15:54
S11	13	(power near3 control\$4) same (packet adj error\$1)	USPAT	OR	OFF	2004/08/12 15:55
S12	0	(power adj level) same (increase or decrease) same error near4 (packet or rate) same (wireless adj network)	USPAT	OR	OFF	2004/08/12 16:28
S13	1	(power adj level) same (increase or decrease) same error near4 (packet or rate) and (wireless adj network)	USPAT	OR	OFF	2004/08/12 16:37
S14	0	"6763483".URPN.	USPAT	OR	OFF	2004/08/12 16:29
S15	0	"6763483".URPN.	USPAT	OR	OFF	2004/08/12 16:29
S16	0	"6763483".URPN.	USPAT	OR	OFF	2004/08/12 16:29
S17	0	"6763483".URPN.	USPAT	OR	OFF	2004/08/12 16:29
S18	1	"4903333".pn.	USPAT	OR	OFF	2004/08/12 16:32
S19	1	"5461639".pn.	USPAT	OR	OFF	2004/08/12 16:33
S20	1	"5732328".pn.	USPAT	OR	OFF	2004/08/12 16:34
S21	1	"5983353".pn.	USPAT	OR	OFF	2004/08/12 16:35
S22	1	"6058106".pn.	USPAT	OR	OFF	2004/08/12 16:35
S23	1	"6366572".pn.	USPAT	OR	OFF	2004/08/12 16:35
S24	1378	Bluetooth	USPAT	OR	OFF	2004/08/12 16:38
S25	3	Bluetooth and packet adj error adj rate	USPAT	OR	OFF	2004/08/12 16:38
S26	1	Bluetooth and packet adj error adj rate and power adj control	USPAT	OR	OFF	2004/08/12 16:41
S27	0	(power adj level) with increase same (packet adj error\$1)	USPAT	OR	OFF	2004/08/12 16:41
S28	1	(power adj level) same increase same (packet adj error\$1)	USPAT	OR	OFF	2004/08/12 16:43
S29	0	(power adj level) same decrease same (packet adj error\$1)	USPAT	OR	OFF	2004/08/12 16:44
S30	0	(power near4 level) same decrease same (packet adj error\$1)	USPAT	OR	OFF	2004/08/12 16:44
S31	2	(power near4 control) same decrease same (packet adj error\$1)	USPAT	OR	OFF	2004/08/12 16:48

S32	0	(power near4 control) same decrease same (packet near3 error\$1 near3 rate)	USPAT	OR	OFF	2004/08/12 16:49
S33	0	decrease with (power near2 level\$1) same error\$1 and (wireless adj network)	USPAT	OR	OFF	2004/08/12 16:50
S34	89	decrease with (power near2 level\$1) same error\$1	USPAT	OR	OFF	2004/08/12 16:50
S35	1207	(open adj loop) and (power adj control)	USPAT	OR	OFF	2004/08/13 09:21
S36	306	(open adj loop) and (power adj control) and wireless	USPAT	OR	OFF	2004/08/13 09:21
S37	3	(open adj loop) and (power adj control) and wireless and (packet adj error\$1)	USPAT	OR	OFF	2004/08/13 09:39
S38	0	(closed adj loop) and (power adj control) and wireless and (packet adj error\$1) and (LMP or (link adj manager adj protocol))	USPAT	OR	OFF	2004/08/13 09:40
S39	0	(closed adj loop) and (power adj control) and wireless and (LMP or (link adj manager adj protocol))	USPAT	OR	OFF	2004/08/13 09:41
S40	2	(closed adj loop) and (power adj control) and (LMP or (link adj manager adj protocol))	USPAT	OR	OFF	2004/08/13 09:41
S41	17	(power adj control) and (LMP or (link adj manager adj protocol))	USPAT	OR	OFF	2004/08/13 09:44
S42	0	(power adj control) with (LMP or (link adj manager adj protocol))	USPAT	OR	OFF	2004/08/13 09:43
S43	0	(power adj control) with (LMP or (link adj (manager adj protocol)))	USPAT	OR	OFF	2004/08/13 09:43
S44	10	(power adj control) with (LMP or (link adj manag\$5))	USPAT	OR	OFF	2004/08/13 09:45
S45	0	pwer adj control and error adj rate and 1%	USPAT	OR	OFF	2004/08/13 10:07
S46	480	power adj control same error adj rate	USPAT	OR	OFF	2004/08/13 10:07
S47	0	power adj control same error adj rate and ".01"	USPAT	OR	OFF	2004/08/13 10:08
S48	205	(open adj loop) and (power adj control) and (error adj rate)	USPAT	OR	OFF	2004/08/13 11:49
S49	26	(soft adj handoff) same (power adj level\$1) and (power adj control) same (error near4 rate)	USPAT	OR	OFF	2004/08/13 12:46
S50	1	"5604730".pn.	USPAT	OR	OFF	2004/08/13 12:53
S51	827	wireless and (power adj level) and interference and (error adj rate)	USPAT	OR	OFF	2004/08/13 12:54

S52	81	wireless and increase near3 (power adj level) and interference and (error adj rate)	USPAT	OR	OFF	2004/08/13 12:55
S53	202	wireless and increas\$4 near3 (power adj level) and interference and (error adj rate)	USPAT	OR	OFF	2004/08/13 12:55
S54	1	wireless and increas\$4 near3 (power adj level) and interference and packet adj((error adj rate)) and target	USPAT	OR	OFF	2004/08/13 12:56
S55	26	wireless and increas\$4 near3 (power adj level) and interference and ((error adj rate) same target)	USPAT	OR	OFF	2004/08/13 13:03
S56	555	(soft adj (handoff or handover)) and power adj control	USPAT	OR	OFF	2004/08/13 13:04
S57	260	(soft adj (handoff or handover)) and power adj control and error adj rate	USPAT	OR	OFF	2004/08/13 13:05
S58	0	(soft adj (handoff or handover)) and power adj control and error adj rate and (lowest adj average adj power adj level)	USPAT	OR	OFF	2004/08/13 13:05
S59	1	(soft adj (handoff or handover)) and power adj control and (error adj rate) and (lowest adj average)	USPAT	OR	OFF	2004/08/13 13:10
S60	0	(soft adj (handoff or handover)) and (power adj control) and (error adj rate) and (lowest adj average) same (power adj level)	USPAT	OR	OFF	2004/08/13 13:10
S61	0	(power adj control) and (error adj rate) and (lowest adj average) same (power adj level)	USPAT	OR	OFF	2004/08/13 13:10
S62	43	counter same packet adj error	USPAT	OR	OFF	2004/08/13 13:15
S63	7	wireless and counter same packet adj error	USPAT	OR	OFF	2004/08/13 13:27
S64	0	(packet error rate) and wireless and ".01"	USPAT	OR	OFF	2004/08/13 13:28
S65	716	(packet error rate) same percent and wireless	USPAT	OR	OFF	2004/08/13 13:29
S66	97	(packet error rate) same percent and wireless adj network	USPAT	OR	OFF	2004/08/13 13:30
S67	596	(packet error rate) same (threshold or target) and wireless adj network	USPAT	OR	OFF	2004/08/13 13:31
S68	8	((packet adj error) adj rate) same (threshold or target) and wireless adj network	USPAT	OR	OFF	2004/08/13 13:42

S69	350	wireless adj transmission same range	USPAT	OR	OFF	2004/08/13 13:43
S70	30	wireless adj transmission same range same (power adj level)	USPAT	OR	OFF	2004/08/13 13:46
S71	69	(wireless adj transmission) and range with (power adj level)	USPAT	OR	OFF	2004/08/13 14:46
S72	32	(power adj level) and increas\$4 and CRC and NACK	USPAT	OR	OFF	2004/08/13 14:47
S73	11	(power adj level) same increas\$4 and CRC and NACK	USPAT	OR	OFF	2004/08/13 15:30
S74	95	CRC same NACK	USPAT	OR	OFF	2004/08/13 14:55
S75	88	CRC same NACK and error\$1	USPAT	OR	OFF	2004/08/13 14:55
S76	57	CRC same NACK same error\$1	USPAT	OR	OFF	2004/08/13 14:55
S77	10	CRC same NACK same error\$1 and power adj level	USPAT	OR	OFF	2004/08/13 14:56
S78	1378	Bluetooth	USPAT	OR	OFF	2004/08/13 15:36
S79	87	registers same serial adj chain	USPAT	OR	OFF	2004/08/13 15:37
S80	1	(registers same serial adj chain) same counter	USPAT	OR	OFF	2004/08/13 15:48
S81	373828	counter	USPAT	OR	OFF	2004/08/13 15:40
S82	85488	counter and register\$1	USPAT	OR	OFF	2004/08/13 15:41
S83	163	(serial adj chain) and (counter and register\$1)	USPAT	OR	OFF	2004/08/13 15:42
S84	140	(serial adj chain) same register\$1	USPAT	OR	OFF	2004/08/13 15:48
S85	65	(serial adj chain) same register\$1 and counter	USPAT	OR	OFF	2004/08/13 15:49
S86	42	(serial adj chain) with register\$1 and counter	USPAT	OR	OFF	2004/08/13 16:00
S87	88843	register\$1 with stor\$3	USPAT	OR	OFF	2004/08/13 16:01
S88	7503	(plurality near3 register\$1) with stor\$3	USPAT	OR	OFF	2004/08/13 16:03
S89	0	"370".ccls. and (plurality near3 register\$1) with stor\$3	USPAT	OR	OFF	2004/08/13 16:03
S90	7503	(plurality near3 register\$1) with stor\$3	USPAT	OR	OFF	2004/08/13 16:13
S91	4262	(serial chain) with register\$1 same counter	USPAT	OR	OFF	2004/08/13 16:16
S92	2	(serial adj chain) with register\$1 same counter	USPAT	OR	OFF	2004/08/13 16:16
S93	3888	(serial with register\$1) same counter	USPAT	OR	OFF	2004/08/13 16:18
S94	1916	(series with register\$1) same counter	USPAT	OR	OFF	2004/08/13 16:21

S95	1672	(serially with register\$1) same counter	USPAT	OR	OFF	2004/08/13 16:23
S96	2	((serial adj chain) with register\$1) same counter	USPAT	OR	OFF	2004/08/13 16:24
S97	16	(machine adj readable adj medium) and power adj level and error\$1	USPAT	OR	OFF	2004/08/13 16:25
S98	13	(machine adj readable adj medium) and power adj control and error\$1	USPAT	OR	OFF	2004/08/13 16:26
S99	50	Bluetooth and (power adj level) and error\$	USPAT	OR	OFF	2004/08/13 16:38
S100	47	Bluetooth and (power adj control) and error\$	USPAT	OR	OFF	2004/08/13 16:44
S101	1	lowest adj average adj power adj level	USPAT	OR	OFF	2004/08/13 16:44
S102	1057	power near2 control\$4 same (open adj loop and close\$ adj loop)	US-PGPUB; USPAT	OR	ON	2005/08/04 09:59
S103	286	"370"/\$.ccls. and power near2 control\$4 same (open adj loop and close\$ adj loop)	US-PGPUB; USPAT	OR	ON	2005/08/04 09:53
S104	284	"370"/\$.ccls. and power near control\$4 same (open adj loop and close\$ adj loop)	US-PGPUB; USPAT	OR	ON	2005/08/04 09:54
S105	262	"370"/\$.ccls. and power near control\$4 with (open adj loop and close\$ adj loop)	US-PGPUB; USPAT	OR	ON	2005/08/04 09:54
S106	204	"370"/\$.ccls. and power near control\$4 with (open adj loop with close\$ adj loop)	US-PGPUB; USPAT	OR	ON	2005/08/04 09:59
S107	1	"6754506".pn.	US-PGPUB; USPAT	OR	ON	2005/08/04 09:57
S108	634	power near2 control\$4 same (open adj loop and close\$ adj loop) and quality	US-PGPUB; USPAT	OR	ON	2005/08/04 09:59
S109	189	"370"/\$.ccls. and power near control\$4 with (open adj loop with close\$ adj loop) and quality	US-PGPUB; USPAT	OR	ON	2005/08/04 10:00
S110	1	"6765883".pn.	USPAT	OR	OFF	2005/08/04 12:37